

**AMENDMENTS TO THE CLAIMS**

1. (Currently Amended) A ceiling hanger system comprising:  
an anchor having a body defining an opening;  
a hanger wire mounted to the anchor;  
a spring clip mounted to the hanger wire; and  
a hanger hook mounted to the spring clip.
  
2. (Currently Amended) The ceiling hanger system of ~~claims~~ claim 1, wherein the hanger wire comprises a body having a first end and a second end and a head positioned on the first end.
  
3. (Currently Amended) The ceiling hanger system of ~~claims~~ claim 2, wherein the head of the hanger wire has a T-shape.
  
4. (Currently Amended) The ceiling hanger system of claim ~~[[1]]~~ 2, wherein the head of the hanger wire has a shape selected from the group consisting of: a T-shape, a rosette, a square, triangle and a D-form.
  
5. (Original) The ceiling hanger system of claim 2, wherein the body of the hanger wire is bent at an angle between 0° and 90°.
  
6. (Canceled)

7. (Currently Amended) The ceiling hanger system of claim [[6]] 1, wherein the opening defined in the body has an upper portion and a lower portion.

8. (Original) The ceiling hanger system of claim 7, wherein the upper portion has a width that is greater than the width of the lower portion.

9. (Original) The ceiling hanger system of claim 1, wherein the anchor comprises a lag screw.

10. (Currently Amended) The ceiling hanger system of claim 1, wherein the anchor is selected from the group consisting of: a headed eye lag screw, a standard eye lag wood screw, an angel clip, a c-pearlin[[,]] clip, a bar joist clip and a Z-perlin clip.

11. (Original) The ceiling hanger system of claim 1, wherein the spring clip includes a resilient body having a first and second aperture defined therein, the first and second aperture each having a notch.

12. (Original) The ceiling hanger system of claim 1, wherein the hanger hook has a first end and a second end, the first end having a support hook operable to engage the spring clip, the second end having a double hook.

13. (Original) The ceiling hanger system of claim 12, wherein the double hook includes a first curved portion, a second curved portion and a third curved portion.

14. (Original) The ceiling hanger system of claim 1, wherein the hanger hook comprises a body having a curved portion including a head.

15. (Currently Amended) The ~~cei~~ ceiling hanger system of claim 1, wherein the hanger hook includes a body having a pair of opposed clamp arms.

16. (Currently Amended) A ceiling hanger system comprising:  
an anchor ~~and~~ having a body defining an opening;  
a hanger wire mounted to the anchor, the hanger wire comprising a body having a head;  
a clip mounted to the hanger wire; and  
a hanger hook mounted to the clip.

17. (Canceled)

18. (Original) The ceiling hanger system of claims 16, wherein the head of the hanger wire has a T-shape.

19. (Currently Amended) The ceiling hanger system of claim ~~[[17]]~~ 16, wherein the ~~spring~~ clip includes a resilient body having an aperture defined therein, the aperture having a notch.

20. (Original) A ceiling hanger system comprising:

- an anchor;
- a hanger wire mounted to the anchor, the hanger wire including a body having a head;

and

- a spring clip mounted to the hanger wire, the spring clip having a resilient body including an aperture defined therein, the aperture having a notch.

21. (New) A ceiling hanger system comprising:

- an anchor;
- a hanger wire mounted to the anchor, the hanger wire including body having a first end and a second end and a head positioned on the first end, the head of the hanger wire has a T-shape;
- a clip mounted to the hanger wire; and
- a hanger hook mounted to the clip.